

## GABRIELE MEYER

### Publikationen mit externen Begutachtungsverfahren (ab Jahr 2000)

Stand: März 2024

Mühlhauser I, **Meyer G**. Die so genannte Hormonersatztherapie in der Meno-/Postmenopause. *Z Allg Med* 2000; 76: 497-501

**Meyer G**. Kritische Beurteilung einer Meta-Analyse zur Wirksamkeit der sogenannten Hormonersatztherapie und Vorschläge zur verbesserten Transparenz von Meta-Analysen. *Z Arztl Fortbild Qualitätssich* 2002; 96: 695-698

**Meyer G**, Warnke A, Bender R, Mühlhauser I. Effect on hip fractures of increased use of hip protectors in nursing homes: cluster randomised controlled trial. *Br Med J* 2003; 326: 76 (online full text version), 76-78 (printed abridged version)

**Meyer G**. Kritische Bewertung eines Screening-Instrumentes zur Vorhersage des Sturzrisikos älterer Menschen. *Z Arztl Fortbild Qualitätssich* 2003; 97: 27-31

**Meyer G**, Schlömer G. Pädagogische Reflexionen zum EBM-Curriculum der Zentralstelle der Deutschen Ärzteschaft zur Qualitätssicherung in der Medizin und des Deutschen Netzwerkes Evidenzbasierte Medizin. *Z Arztl Fortbild Qualitätssich* 2003; 97: 287-290

Schlömer G, Gross M, **Meyer G**. Effektivität der Episiotomie bei vaginaler Geburt hinsichtlich der Vermeidung von Harn- und Stuhlinkontinenz: Eine systematische Übersicht externer Evidenz. *Wien Med Wochenschr* 2003; 153: 269-275

**Meyer G**, Warnke A, Mühlhauser I. Fall and fracture prevention in the elderly. *Geriatrics & Aging* 2003; 6: 12-14

**Meyer G**, Geliert R, Schlömer, G, Mühlhauser I. Thromboseprophylaxestrümpfe in der Chirurgie optional oder obligatorisch? *Chirurg* 2004; 75: 45-57

Warnke A, **Meyer G**, Bender R, Mühlhauser I. Predictors of adherence to the use of hip protectors in nursing home residents. *J Am Geriatr Soc* 2004; 52: 340-345

Warnke A, **Meyer G**, Bott U, Mühlhauser I. Validation of a quality of life questionnaire measuring the subjective fear of falling in nursing home residents. *Z Gerontol Geriatr* 2004; 37: 459-466

**Meyer G**, Wegscheider K, Kersten JF, Icks A, Mühlhauser I. Increased use of hip protectors in nursing homes: economic analysis of a cluster randomized, controlled trial. *J Am Geriatr Soc* 2005; 53: 2153-2158

Köpke S, Berger B, Steckelberg A, **Meyer G**. In Deutschland gebräuchliche Bewertungsinstrumente für Patienteninformationen - eine kritische Analyse. *Z Arztl Fortbild Qualitätssich* 2005; 99: 353-357

**Meyer G**, Köpke S, Bender R, Mühlhauser I. Predicting the Risk of Falling - Efficacy of a Risk Assessment Tool compared to Nurses' Judgement: a cluster-randomised controlled trial [ISRCTN37794278]. *BMC Geriatrics* 2005; 5: 14

Mühlhauser I, **Meyer G**. Evidence based Medicine: Widersprüche zwischen Surrogatergebnissen und klinischen Endpunkten. *Psychother Psychosom Med Psychol* 2006; 56: 193-201

Mühlhauser I, Kasper J, **Meyer G**. FEND: Understanding of diabetes prevention studies: questionnaire survey of professionals in diabetes care. *Diabetologia* 2006; 49: 1742-1746

**Meyer G**, Köpke S. Expertenstandards in der Pflege: Wirkungsvolle Instrumente zur Verbesserung der Pflegepraxis oder von ungewissem Nutzen? *Z Gerontol Geriatr* 2006; 39: 211-216

**Meyer G**, Mühlhauser I. Comment to: Martin S, Schneider B, Heinemann L et al.: Self-monitoring of blood glucose in type 2 diabetes and long-term outcome: an epidemiological cohort study. *Diabetologia* 2006; 49: 271-278; *Diabetologia* 2006; 49: 1702-1703

**Meyer G**, Mühlhauser I. Hip protectors in the elderly: Lack of effectiveness or just suboptimal implementation? *Eur Rev Aging Phys Act* 2006; 3: 85-90

Görres S, Reif K, Biedermann H, Borchert C, Habermann M, Köpke S, **Meyer G**, Rothgang H. Optimierung des Pflegeprozesses durch neue Steuerungsinstrumente. Der Pflegeforschungsverbund Nord. *Z Gerontol Geriatr* 2006; 39: 159-164

Köpke S, **Meyer G**. The Tinetti test: Babylon in geriatric assessment. *Z Gerontol Geriatr* 2006; 39: 288-291

**Meyer G**, Steckelberg A, Mühlhauser I: Analysis of consumer information brochures on osteoporosis prevention and treatment. *GMS Ger Med Sci* 2007; 5: Doc01

Halbekath JM, Schenk S, von Maxen A, **Meyer G**, Mühlhauser I. Risedronate for the prevention of hip fractures: Concern about validity of trials. *Arch Intern Med* 2007; 167: 513-514

**Meyer G**, Köpke S, Lenz M, Kasper J, Mühlhauser I. Evidence-based medicine for diabetes educators: a pilot study. *Diabet Med* 2007; 24: 901-905

Icks A, Haastert B, **Meyer G**. Remarkable Decline in Hip Fracture Incidence in Younger Age Groups in Germany. *Am J Public Health* 2007; 97: 1733-1734

Icks A, Haastert B, Wildner M, Becker C, **Meyer G**. Inzidenz von Hüftfrakturen in Deutschland Auswertung der Krankenhausdiagnosestatistik 2004. *Dtsch Med Wochenschr* 2008; 133: 125-128

Icks A, Haastert B, Wildner M, Becker C, **Meyer G**. Trend of hip fracture incidence in Germany 1995-2004. A population-based study. *Osteoporos Int* 2008; 19: 1139-1145

Köpke S, **Meyer G**, Haut A, Gerlach A. Methodenpapier zur Entwicklung einer Praxisleitlinie zur Vermeidung von freiheitseinschränkenden Maßnahmen in der beruflichen Altenpflege. *Z Evid Fortbild Qual Gesundh wesen* 2008; 102: 45-53

**Meyer G**, Köpke S, Haastert B, Mühlhauser I. Restraint use among nursing home residents: cross-sectional study and prospective cohort study. *J Clin Nurs* 2009; 18: 981-990

Mann E, **Meyer G**. Medikamentöse Freiheitsbeschränkung in Pflegeheimen im Bundesland Vorarlberg, Österreich: Analyse der ersten Meldungen und Implikationen für eine zukünftige sachgerechte Verwirklichung der gesetzlichen Meldepflicht. *Wien Med Wochenschr* 2008; 158: 489-492

Hamers JPH, **Meyer G**, Köpke S, Lindenmann R, Groven R, and Huizing AR. Attitudes of Dutch, German and Swiss nursing staff towards physical restraint use in nursing home residents, a cross-sectional study. *Int J Nurs Stud* 2009; 46: 248-255

Mann E, Icks A, Haastert B, **Meyer G**. Hip fracture incidence in the elderly in Austria: An epidemiological study covering the years 1994 to 2006. *BMC Geriatrics* 2008; 8: 35

Köpke S, Dehning K, Molsen N, Möhler R, Kasper J, **Meyer G**. Die Rolle der Pflegenden im therapeutischen Team der Stroke Unit. *Pflege* 2009; 22: 39-46

**Meyer G**, Möhler R, Köpke S. Interventions for preventing and reducing the use of physical restraints in long-term geriatric care. *Cochrane Database of Systematic Reviews* 2009; Issue 1. Art. No.: CD007546

**Meyer G**, Mühlhauser I. Transparency of reporting: in reply to the letter by O'Halloran. *Letter. Eur Rev Aging Phys Act* 2009; 6: 5-6

Icks A, Haastert B, Wildner M, Becker C, Rapp K, Dragano N, **Meyer G**, Rosenbauer J. Hip fractures and area level socioeconomic conditions. A population-based study. *BMC Public Health* 2009; 9: 114

**Meyer G**, Köpke S, Haastert B, Mühlhauser I. Comparison of a fall risk assessment tool with nurses' judgement alone: a cluster-randomised controlled trial. *Age Ageing* 2009; 38: 417-423

Mann E, Köpke S, Haastert B, Pitkälä K, **Meyer G**. Psychotropic drug use among nursing home residents in Austria: a cross-sectional study. *BMC Geriatrics* 2009; 9: 18

Haut A, Köpke S, Gerlach A, Mühlhauser I, Haastert B, **Meyer G**. Evaluation of an evidence-based guidance on the reduction of physical restraints in nursing homes: a cluster-randomised controlled trial [ISRCTN34974819]. *BMC Geriatrics* 2009; 9: 42

Genz J, Haastert B, **Meyer G**, Steckelberg A, Muller H, Verheyen F, Cole D, Rathmann W, Nowotny B, Roden M, Giani G, Mielck A, Ohmann C, Icks A. Blood glucose testing and primary prevention of diabetes mellitus type 2 -evaluation of the effect of evidence based patient information. *BMC Public Health* 2010; 10: 15

Gnass I, Bartoszek G, Thiesemann R, **Meyer G**. Erworbene Kontrakturen der Gelenke bei älteren Menschen: Dringender Bedarf einer Definition. *Z Gerontol Geriatr* 2010; 43: 147-157

Mann E, **Meyer G**, Haastert B, Icks A. Comparison of hip fracture incidence and trends between Germany and Austria 1995-2004: An epidemiological study. *BMC Public Health* 2010; 10: 46

Schmitz A, Lins S, Krüger C, Adler K, Segmüller T, **Meyer G**. „Wer ist Glossar?“ - Fokusgruppen-Evaluation einer evidenzbasierten Verbraucherinformation zu Sturzgefährdung und -vorbeugung im Alter. *Pflege* 2010; 23: 267274

Haut A, Kolbe N, Strupeit S, Mayer H, **Meyer G**. Attitudes of relatives of nursing home residents towards physical restraints. *J Nurs Scholarsh* 2010; 42: 448-456

Krüger C, **Meyer G**, Hamers J. Mechanische freiheitsentziehende Maßnahmen im Krankenhaus: ein systematischer Literaturüberblick. *Z Gerontol Geriatr* 2010; 43: 291-296

Berger B, Steckelberg A, **Meyer G**, Kasper J, Mühlhauser I. Training of patient and consumer representatives in the basic competencies of evidence-based medicine: a feasibility study. *BMC Medical Education* 2010; 10: 16

Mann E, Icks A, **Meyer G**. Discrepancies in national hip fracture incidence trends. *Wien Klin Wochenschr* 2010; 122: 126-128

Richter T, **Meyer G**, Köpke S. Psychosocial interventions for reducing antipsychotic medication in care home residents (Protocol). *Cochrane Database Syst Rev* 2010; Issue 8. CD008634

Mühlhauser I, **Meyer G**, Steckelberg A. Patienten wollen mitentscheiden, doch die Informationsbasis und Strukturen fehlen. *Z Allg Med* 2010; 86: 412-417

Mann E, Icks A, Haastert B, **Meyer G**. Is it really a true reversal? *Wien Klin Wochenschr* 2010; 122: 545

Mann E, **Meyer G**. Reporting quality of conference abstracts on randomised controlled trials in gerontology and geriatrics: a cross-sectional investigation. *Z Evid Fortbild Qual Gesundheitswesen* 2011; 105: 459-462

Möhler R, Richter T, Köpke S, **Meyer G**. Interventions for preventing and reducing the use of physical restraints in long-term geriatric care. *Cochrane Database Syst Rev* 2011; 2: CD007546

Richter T, Mann E, **Meyer G**, Haastert B, Köpke S. Prevalence of psychotropic medication use among German and Austrian nursing home residents: a comparison of three cohorts. *J Am Med Dir Assoc* 2012; 13: 187.e7-187.e13

Lins S, Icks A, **Meyer G**. Understanding comprehensibility and acceptance of an evidence-based consumer information brochure on fall prevention in old age: a focus group study. *BMC Geriatrics* 2011; 11: 26

Lins S, Rucker G, Motschall E, Langer G, Antes G, **Meyer G**. Efficacy and experiences of telephone counselling for informal carers of people with dementia. *Cochrane Database of Systematic Reviews* 2011, Issue 5. Art. No.: CD009126. DOI:10.1002/14651858.CD009126

Hecht L, Möhler R, **Meyer G**. Effects of CPAP-respiration on markers of glucose metabolism in patients with obstructive sleep apnoea syndrome: a systematic review and meta-analysis. *GMS Ger Med Sci* 2011; 9: Doc19

**Meyer G**, Köpke S. Letter. Important deviations from study protocol. Letter. *JAGS* 2011; 59: 1364-1365

Möhler R, Bartoszek G, Köpke S, **Meyer G**. Proposed criteria for reporting the development and evaluation of complex interventions in healthcare (CReDECI). *Int J Nurs Stud* 2012; 49: 40-46

Mühlhauser I, Lenz M, **Meyer G**. Entwicklung, Bewertung und Synthese von komplexen Interventionen - eine methodische Herausforderung. *Z Evid Fortb Qual Gesundh wesen* 2011; 105: 751-761

**Meyer G**, Köpke S. Wie kann der beste pflegewissenschaftliche Kenntnisstand in die Pflegepraxis gelangen? *Pflege Gesellschaft* 2012; 17: 36-44

Verbeek H, **Meyer G**, Leino-Kilpi H, Zabalegui A, Hallberg IR, Saks K, Soto ME, Challis D, Sauerland D, Hamers JPH. A European study investigating patterns of transition from home care towards institutional dementia care: the protocol of a RightTimePlaceCare study. *BMC Public Health* 2012, 12: 68

Ausserhofer D, Gnass I, **Meyer G**, Schwendimann R. Die Bestimmung der Inhaltsvalidität anhand des Content Validity Index am Beispiel eines Instruments zur Erfassung des Sicherheitsklimas im Krankenhaus. *Pflegewissenschaft* 2012, 13: 151-158

Möhler R, Richter T, Köpke S, **Meyer G**. Interventions for preventing and reducing the use of physical restraints in long-term geriatric care - a Cochrane review". *J Clin Nurs* 2012; 21: 3070-3081

Möhler R, Renom A, Renom H, **Meyer G**. Personally-tailored activities for improving psychosocial outcomes for people with dementia in long-term care. *Cochrane Database of Systematic Reviews* 2012, Issue 4. Art. No.: CD009812. DOI:10.1002/14651858.CD009812

Köpke S, Mühlhauser I, Gerlach A, Haut A, Haastert B, Möhler R, **Meyer G**. Effect of a Guideline-based Multi-Component Intervention on Use of Physical Restraints in Nursing Homes. A Cluster Randomized Controlled Trial. *JAMA* 2012; 307: 2177-2184

Richter T, **Meyer G**, Möhler R, Köpke S. Psychosocial interventions for reducing antipsychotic medication in care home residents. *Cochrane Database of Systematic Reviews* 2012, Issue 12. Art. No.: CD008634. DOI: 10.1002/14651858.CD008634.pub2

**Meyer G**, Balzer K, Köpke S. Evidenzbasierte Pflegepraxis - Diskussionsbeitrag zum Status quo. *Z Evid Fortbild Qual Gesundh wesen* 2013; 107: 30-35

Spliid Ludvigsen M, **Meyer G**. Hall EOC, Fegran L, Aagaard H, Uhrenfeldt L. Development of clinically meaningful complex interventions — The contribution of qualitative research. *Pflege* 2013; 26: 207214

Mühlhauser I, **Meyer G**. The evidence base of diabetes guidelines. *Diabetologia* 2013; 56: 1201-1209

Uhrenfeldt L, Aagaard H, Hall EO, Fegran L, Ludvigsen MS, **Meyer G**. A qualitative meta-synthesis of patients' experiences of intra- and inter-hospital transitions. *J Adv Nurs* 2013; 69: 1678-1690

Balzer K, Köpke S, Lühmann D, Haastert B, Kottner J, Dassen T, **Meyer G**. Designing trials for pressure ulcer risk assessment research: methodological challenges. *Int J Nurs Stud* 2013; 50: 1136-1150

Mann E, Haastert B, Böhmendorfer B, Frühwald T, Iglseder B, Roller-Wirnsberger R, **Meyer G**. Prevalence and associations of potentially inappropriate prescriptions in Austrian nursing home

- residents: secondary analysis of a cross-sectional study. *Wien Klin Wochenschr* 2013; 125: 180-188
- Weberschock T, Dörr J, Valipour A, Strametz R, **Meyer G**, Lühmann D, Steurer J, Horvath K, Donner-Banzhoff N, Forster J, Sauder K, Ollenschläger G. Evidenzbasierte Medizin in Aus-, Weiter- und Fortbildung im deutschsprachigen Raum: Ein Survey. *Z Evid Fortbild Qual Gesundh wesen* 2013; 107: 5-12
- Müller M, Fischer U, Bartoszek G, Grill E, **Meyer G**. Impact of joint contractures on functioning and social participation in older individuals - development of a standard set (JointConFunctionSet): Study protocol. *BMC Geriatrics* 2013; 13:18
- Krüger C, Mayer H, Haastert B, **Meyer G**. Use of physical restraints in acute hospitals in Germany: a multi-centre cross-sectional study. *Int J Nurs Stud* 2013; 50: 1599-1606
- Dichter MN, Dortmann O, Halek M, **Meyer G**, Holle D, Nordheim J, Bartholomeyczik S. Scalability and internal consistency of the German version of the dementia-specific quality of life instrument QUALIDEM in nursing homes - a secondary data analysis. *Health Qual Life Outcomes* 2013; 11: 91
- Renom A, Möhler R, Renom H, **Meyer G**. Personally-tailored activities for improving psychosocial outcomes for people with dementia in community settings. *Cochrane Database of Systematic Reviews* 2013, Issue 5. Art. No.: CD010515. DOI: 10.1002/14651858.CD010515
- Stephan A, Mayer H, Renom Guiteras A, **Meyer G**. Validity, reliability and feasibility of the German version of the Caregiver Reaction Assessment scale (G-CRA): a validation study. *Int Psychogeriatr* 2013; 25: 1621-1628
- Dichter MN, Halek M, Dortmann O, **Meyer G**, Bartholomeyczek S. Measuring the quality of life of people with dementia in nursing homes in Germany — the study protocol for the QoL-Dem Project. *GMS Psycho-Social-Medicine* 2013; 10: 1-8
- Hallberg Ingalill R, Leino-Kilpi H, **Meyer G**, Raamat K, Soto Martin M, Sutcliffe C, Zabalegui A, Zwakhalen S, Karlsson S. Dementia care in eight European Countries: Developing a mapping system to explore systems. *J Nurs Scholarsh* 2013; 45: 412-424
- Stephan A, Renom A, Juchems S, **Meyer G**. Der Balance of Care Ansatz zur Generierung passgenauer Versorgungsangebote für Menschen mit Demenz zwischen Häuslichkeit und Pflegeheim: Anwendungserfahrungen in Deutschland. *Z Evid Fortbild Qual Gesundh wesen* 2013; 107: 597-605
- Möhler R, Bartoszek G, **Meyer G**. Quality of reporting of complex healthcare interventions and applicability of the CReDECI list - a survey of publications indexed in PubMed. *BMC Med Res Methodol* 2013; 13: 125
- Bartoszek G, **Meyer G**, Thiesemann E. Dreimal täglich „durchbewegen“? Eine Analyse der Lehrbücher in der Pflege zum Thema Gelenkkontrakturen. *Z Gerontol Geriatr* 2014; 47: 35-50
- Gnass I, Nimako-Doffur A, **Meyer G**. Influence of Clinical Practice Guidelines on Pain Management in German Intensive Care Units - A State Wide Survey". *Clin Nurs Stud* 2014; 2: 37-44

Afram B, Stephan A, Verbeek H, Bleijlevens MHC, Suhonen R, Sutcliffe C, Raamat K, Cabrera E, Soto M, Hallberg IR, **Meyer G**, Hamers JPH, on behalf of the RightTimePlaceCare Consortium. Reasons for Institutionalization of People with Dementia: Informal Caregiver Reports from Eight European Countries. *J Am Med Dir Assoc* 2014; 15: 108-116

Möhler R, **Meyer G**. Attitudes of nurses towards the use of physical restraints in geriatric care: A systematic review of qualitative and quantitative studies. *Int J Nurs Stud* 2014; 51: 274-288

Spliid Ludvigsen M, **Meyer G**, Hall E, Fegran L, Aagaard H, Uhrenfeldt L. Development of clinically meaningful complex interventions - The contribution of qualitative research (secondary, complete republication). *Nordisk Sygeplejeforskning* 2014; 4: 3-14

Fischer U, Bartoszek G, Müller M, Strobl R, **Meyer G**, Grill E. Patients' view on health-related aspects of functioning and disability of joint contractures: a qualitative interview study based on the International Classification of Functioning, Disability and Health (ICF). *Disabil Rehabil* 2014; 36: 2225-2232

Renom-Guiteras A, Uhrenfeldt L, **Meyer G**, Mann E. Assessment tools for determining appropriateness of admission to acute care of persons transferred from long-term care facilities: a systematic review. *BMC Geriatrics* 2014; 14: 80

Fischer U, Müller M, Strobl R, Bartoszek G, **Meyer G**, Grill E. Examining functioning and contextual factors in individuals with Joint contractures from the health professional perspective using the ICF: an international internet-based qualitative expert survey. *Rehabil Nurs* 2016; 41: 170-178

Dörr J, Valipour A, Strametz R, **Meyer G**, Lühmann D, Steurer J, Horvath K, Donner- Banzhoff N, Forster J, Sauder K, Ollenschläger G, Ochsendorf F, Weberschock T. Survey zu Aus-, Weiter- und Bildungsangeboten in Evidenzbasierter Medizin - eine zielgruppenspezifische Analyse. *Z Evid Fortbild Qual Gesundhwes* 2014; 108: 166-174

Panfil EM, Zima K, Lins S, Köpke S, Langer G, **Meyer G**. Interessenkonflikte mit der Industrie — eine Befragung von Pflegenden im Bereich der Wundversorgung in Deutschland, Österreich und der Schweiz. *Pflege* 2014; 27: 191-199

Dichter MN, Schwab CG, **Meyer G**, Bartholomeyczik S, Dortmann O, Halek M. Measuring the quality of life in mild to very severe dementia: Testing the inter-rater and intra-rater reliability of the German version of the QUALIDEM. *Int Psychogeriatr* 2014; 26: 825-836

Kyndi Pedersen M, **Meyer G**, Uhrenfeldt L. Risk factors for acute care hospital readmission in persons aged 60 and over from western countries: a systematic review protocol. *JBIC Database of Systematic Reviews & Implementation Reports* 2014; 12: 91-102

Ludvigsen MS, Fegran L, Aagaard H, **Meyer G**, Uhrenfeldt L. Parents' experiences of the transfer from pediatric to adult care for their adolescent or young adult children with chronic conditions: a systematic review protocol. *JBIC Database of Systematic Reviews & Implementation Reports* 2014; 12: 102-111

Balzer K, Köpke S, **Meyer G**. NICE recommendation on the use of pressure ulcer risk scores is flawed. *Letter. BMJ* 2014; 348: g3638

Mann E, Nguyen N, Fleischer S, **Meyer G**. Compliance with trial registration in five core Journals of clinical geriatrics: a survey of original publications on randomised controlled trials from 2008 to 2012. *Age Ageing* 2014; 43: 872-876

Lins S, Hayder-Beichel D, Rücker G, Motschall E, Antes G, **Meyer G**, Langer G. Efficacy and experiences of telephone counselling for informal carers of people with dementia. *Cochrane Database of Systematic Reviews* 2014, Issue 9. Art. No.: CD009126. DOI: 10.1002/14651858.CD009126.pub2

Uhrenfeldt L, Ludvigsen MS, Fegran L, Aagaard H, **Meyer G**. Significant others' experience of hospitalized patients' transfer to home: a systematic review protocol. *JBIC Database of Systematic Reviews & Implementation Reports* 2014; 12: 106-115

Mann E, Haastert B, Frühwald T, Sauermann R, Hinteregger M, Hölzl D, Keuerleber S, Scheuringer M, **Meyer G**. Potentially inappropriate medication in older persons in Austria: A nationwide prevalence study. *Eur Geriatr Med* 2014; 6: 399-405

Möhler R, Suhr R, **Meyer G**. Methoden des Einbezugs von Patientenvertretern bei der Entwicklung von Leitlinien - eine systematische Übersicht. *Z Evid Fortbild Qual Gesundh wesen* 2014; 108: 569-575

Halbig C, **Meyer G**. Einbindung von Patientenvertretern in Leitlinienentwicklungsprozesse: Eine qualitative Studie. *Z Evid Fortbild Qual Gesundh wesen* 2014; 108: 587-593

Ollenschläger G, **Meyer G**, Windeler J. 20 Jahre Leitlinien und EbM in Deutschland: Ist EbM in der Versorgung angekommen? *Z Evid Fortbild Qual Gesundh wesen* 2014; 108: 547-548

Unverzagt S, Klement A, **Meyer G**, Prondzinsky R. Interventions to Enhance Adherence to Guideline Recommendations in Secondary and Tertiary Prevention of Heart Failure: A Systematic Review. *J Clin Trials* 2014; 4: 6

Afram B, Stephan A, Verbeek H, Bleijlevens MH, Suhonen R, Sutcliffe C, Raamat K, Cabrera E, Soto ME, Hallberg IR, **Meyer G**, Hamers JP; RightTimePlaceCare Consortium. Reasons for institutionalization of people with dementia: informal caregiver reports from 8 European countries. *J Am Med Dir Assoc* 2014; 15: 108-116

Cabrera E, Sutcliffe C, Verbeek H, Saks K, Soto Martin M, **Meyer G**, Leino-Kilpi H, Karlsson S, Zabalegui A, on behalf of the RightTimePlaceCare Consortium. Non- pharmacological interventions as a best practice strategy in people with dementia living in nursing homes. A systematic review. *Eur Geriatr Med* 2015; 6: 134-150

Stephan A, Afram B, Koskeniemi J, Verbeek H, Soto ME, Bleijlevens MH, Sutcliffe C, Lethin C, Risco E, Saks K, Hamers JP, **Meyer G**, the RightTimePlaceCare Consortium. Older persons with dementia at risk for institutionalization in eight European countries: a cross-sectional study on the perceptions of informal caregivers and healthcare professionals. *J Adv Nurs* 2015; 71: 1392-1404

Stephan A, Möhler R, Renom-Guiteras A, **Meyer G**. Successful collaboration in dementia care from the perspectives of healthcare professionals and informal carers in Germany: results from a focus group study. *BMC Health Serv Res* 2015; 15: 208



Alvira MC, Risco E, Cabrera E, Farre M, Rahm Hallberg I, Bleijlevens MH, **Meyer G**, Koskeniemi J, Soto ME, Zabalegui A, The RightTimePlaceCare Consortium. The association between positive-negative reactions of informal caregivers of people with dementia and health outcomes in eight European countries: a cross-sectional study. *J Adv Nurs* 2015; 71: 1417-1434

Saks K, Töt EM, Verbeek H, Raamat K, Armolik A, Leibur J, **Meyer G**, Zabalegui A, Leino-Kilpi H, Karlsson S, Soto M, Tucker S, the RightTimePlaceCare Consortium. Most appropriate placement for people with dementia: individual experts' vs. expert groups' decisions in eight European countries. *J Adv Nurs* 2015; 71: 1363-1377

Fischer U, Müller M, Strobl R, Bartoszek G, **Meyer G**, Grill E. Prevalence of functioning and disability in older patients with joint contractures: a cross-sectional study. *Eur J Phys Rehabil Med* 2015; 51: 269-279

Ludvigsen MS, Hall EOC, **Meyer G**, Fegran L, Aagaard H, Uhrenfeldt U. Using Sandelowski and Barroso's metasynthesis method in advancing qualitative evidence. *Qual Health Res* 2015; DOI: 10.1177/1049732315576493

Bartoszek G, Fischer U, Clarmann von Clarenau S, Grill G, Mau W, **Meyer G**, Nadolny S, Strobl R, Thiesemann R, Müller M. Development of an ICF-based standard set to describe the Impact of joint contractures on participation of older individuals in geriatric care settings. *Arch Gerontol Geriatr* 2015; 61: 61-66

Bartoszek G, Fischer U, Grill E, Müller M, Nadolny S, **Meyer G**. Impact of joint contractures on older persons in geriatric settings: a cross-sectional study. *Z Gerontol Geriatr* 2015; 48: 625-632

Möhler R, Köpke S, **Meyer G**. Criteria for Reporting the Development and Evaluation of Complex Interventions in healthcare - revised guideline (CReDECI 2). *Trials* 2015; 16: 204

Renom Guiteras A, **Meyer G**, Thürmann P. The EU(7)-P1M list: a list of potentially inappropriate medications for older people consented by experts from seven European countries. *Eur J Clin Pharmacol* 2015; 71: 861-875

Nordhausen T, Lins S, Panfil EM, Köpke S, Leino-Kilpi H, Langer G, **Meyer G**. Pflege und Industriekontakte: Eine Literaturübersicht und eine Befragung zu Interessenkonflikten. *Z Evid Fortbild Qual Gesundheitswes* 2015; 109: 621-631

Verbeek H, **Meyer G**, Challis D, Zabalegui A, Soto ME, Saks K, Leino-Kilpi H, Karlsson S, Hamers JP, RightTimePlaceCare Consortium. Inter-country exploration of factors associated with admission to long-term institutional dementia care: evidence from the RightTimePlaceCare study. *J Adv Nurs* 2015; 71: 1338-1350

Müller M, Bartoszek G, Beutner K, Klinghirm H, Saal S, Stephan AJ, Strobl R, Grill E, **Meyer G**. Developing and piloting a multifactorial intervention to address participation and quality of life in nursing home residents with joint contractures (JointConImprove): study protocol. *GMS Ger Med Sci* 2015; 13: Doc13

Richter C, Berg A, Fleischer S, Köpke S, Balzer K, Fick EM, Sönnichsen A, Löscher S, Vollmar HC, Haastert B, Icks A, Dintsios CM, Mann E, Wolf U, **Meyer G**. Effect of person-centred care on antipsychotic drug use in nursing homes (EPCentCare): study protocol for a cluster-randomised controlled trial. *Implement Sci* 2015; 10: 82

**Meyer G.** Ein evidenzbasiertes Gesundheitssystem: die Rolle der Gesundheitsfachberufe. *Z Evid Fortbild Qual Gesundhwes* 2015; 109: 378-383

Hofmann H, Schorro E, Haastert B, **Meyer G.** Use of physical restraints in nursing homes: a multicentre cross-sectional study. *BMC Geriatr* 2015; 15: 129

Tucker S, Sutcliffe C, Bowns I, Challis D, Saks K, Verbeek H, Cabrera E, Karlsson S, Leino-Kilpi H, **Meyer G,** Soto ME; **RightTimePlaceCare Consortium.** Improving the mix of institutional and community care for older people with dementia: an application of the Balance of care approach in eight European countries. *Aging & Mental Health* 2016, 20: 12, 1327-1338

Abraham J, Möhler R, Henkel A, Kupfer R, Icks A, Dintios CM, Haastert B, **Meyer G,** Köpke S. Implementation of a multicomponent intervention to prevent physical restraints in nursing home residents (IMPRINT): study protocol for a cluster-randomised controlled trial. *BMC Geriatr* 2015; 15: 86

Dichter MN, Schwab CG, **Meyer G,** Bartholomeyczik S, Halek M. Linguistic validation and reliability properties are weak investigated of most dementia-specific quality of life measurements - A systematic review. *J Clin Epidemiol* 2016; 70: 233-245

Vollmar HC, **Meyer G.** Das Hohelied der Implementierung wissenschaftlich gesicherter Maßnahmen in die Gesundheitsversorgung. *Z Evid Fortbild Qual Gesundhwes* 2015; 109: 95-96

Möhler R, **Meyer G.** Interventionen zur Vermeidung und Reduktion von freiheitsentziehenden Maßnahmen in der stationären Altenpflege: Herausforderungen bei der Synthese komplexer Interventionen. *Pflege* 2015; 28: 181-182

Risco E, Cabrera E, Jolley D, Stephan A, Karlsson S, Verbeek H, Saks K, Hupli M, Sourdet S, Zabalegui A; **RightTimePlaceCare Consortium.** The association between physical dependency and the presence of neuropsychiatric symptoms, with the admission of people with dementia to a long-term care institution: a prospective observational cohort study. *Int J Nurs Stud* 2015; 52: 980-987

Karlsson S, Bleijlevens M, Roe B, Saks K, Martin MS, Stephan A, Suhonen R, Zabalegui A, Hallberg IR, **RightTimePlaceCare Consortium.** Dementia care in European countries, from the perspective of people with dementia and their caregivers. *J Adv Nurs* 2015; 71: 1405-1416

Beerens HC, Zwakhalen SM, Verbeek H, Ruwaard D, Ambergen AW, Leino-Kilpi H, Stephan A, Zabalegui A, Soto M, Saks K, Bökberg C, Sutcliffe CL, Hamers JP, **RightTimePlaceCare Consortium.** Change in quality of life of people with dementia recently admitted to long-term care facilities. *J Adv Nurs* 2015; 71: 1435-1447

Bleijlevens MH, Stolt M, Stephan A, Zabalegui A, Saks K, Sutcliffe C, Lethin C, Soto ME, Zwakhalen SM, **RightTimePlaceCare Consortium.** Changes in caregiver burden and health-related quality of life of informal caregivers of older people with Dementia: evidence from the European RightTimePlaceCare prospective cohort study. *J Adv Nurs* 2015; 71: 1378-1391

Afram B, Verbeek H, Bleijlevens MH, Challis D, Leino-Kilpi H, Karlsson S, Soto ME, Renom-Guiteras A, Saks K, Zabalegui A, Hamers JP, **RightTimePlaceCare Consortium.** Predicting institutional long-term care admission in dementia: a mixed-methods study of informal caregivers' reports. *J Adv Nurs* 2015; 71: 1351-1362

Möhler R, **Meyer G**. Development methods of guidelines and documents with recommendations on physical restraint reduction in nursing homes: a systematic review. *BMC Geriatr* 2015; 15: 152

Wilfling D, Junghans A, Marshall L, Eisemann N, **Meyer G**, Möhler R, Köpke S. Non-pharmacological interventions for sleep disturbances in people with dementia. *Cochrane Database of Systematic Reviews* 2015, Issue 9. Art. No.: CD011881. DOI: 10.1002/14651858.CD011881

Dichter MN, Wolschon EM, **Meyer G**, Köpke S. Cross-cultural adaptation of the German version of the Quality of Life in Alzheimer's Disease scale - Nursing Home version (QoL-AD NH). *Int Psychogeriatr* 2016; 28: 1399-1400

Bartoszek G, Fischer U, Müller M, Strobl R, Grill E, Nadolny S, **Meyer G**. Outcome measures in older persons with acquired joint contractures: A systematic review and content analysis using the ICF (International Classification of Functioning, Disability and Health) as a reference. *BMC Geriatrics* 2016; 16: 40

Tucker S, Brand C, Sutcliffe C, Challis D, Saks K, Verbeek H, Cabrera E, Karlsson S, Leino-Kilpi H, Stephan A, Soto ME, **RightTimePlaceCare Consortium**. What Makes Institutional Long-Term Care the Most Appropriate Setting for People With Dementia? Exploring the Influence of Client Characteristics, Decision-Maker Attributes, and Country in 8 European Nations. *J Am Med Dir Assoc* 2016; 17: 465.e9-465.e15

Dichter MN, Schwab CG, **Meyer G**, Bartholomeyczik S, Halek M. Linguistic validation and reliability properties are weakly investigated of most dementia-specific quality of life measurements - A systematic review. *J Clin Epidemiol* 2016; 70: 233e-245

Hecht L, Buhse S, **Meyer G**. Effectiveness of training in evidence-based medicine skills for healthcare professionals. A systematic review. *BMC Medical Education* 2016; 16: 103

Ausserhofer D, Deschodt M, De Geest S, van Achterberg T, **Meyer G**, Verbeek H, Sjetne IS, Malinowska-Lipietz I, Griffiths P, Schlüter W, Ellen M, Engberg S. 'There's no place like home' - A scoping review on the impact of home-like residential care models on resident-, family- and staff-related outcomes. *J Am Med Dir Assoc* 2016; 17: 685-693

Rehfuess EA, Durão S, Kyamanywa P, Meerpohl JJ, Young T, Rohwer A, **CEBHA+ consortium**. An approach for setting evidence-based and stakeholder-informed research priorities in low- and middle-income countries. *Bull World Health Organ* 2016; 94: 297-305

Unverzagt S, **Meyer G**, Mittmann S, Samos FA, Unverzagt M, Prondzinsky R. Verbesserung der Adhärenz bei Herzinsuffizienz. Systematisches Review und Metaanalyse zu Interventionen bei medikamentöser Therapie und Lebensstilmodifikationen. *Dtsch Arztebl Int* 2016; 113: 423-430

Müller M, Oberhauser C, Fischer, U, Bartoszek G, Saal S, Strobl R, **Meyer G**, Grill E. The PaArticular Scales - a new outcome measure to quantify the impact of joint contractures on activities and participation in individuals in geriatric care: Development and Rasch analysis. *Int J Nurs Stud* 2016; 59: 107-117

Dichter MN, Schwab CG, **Meyer G**, Bartholomeyczik S, Halek M. Item distribution, internal consistency and inter-rater reliability of the German version of the QUALIDEM for people with mild to severe and very severe dementia. *BMC Geriatr* 2016; 16: 126

Müller C, Puls J, Lautenschläger S, Stephan A, **Meyer G**. Interventions to support people with dementia and their informal caregivers during the transition from home care to nursing home care - a protocol for a systematic review. *IJHP* 2016; 3: DOI: 10.1515/ijhp-2016-0020

Kerpershoek L, de Vugt M, Wolfs C, Jelley J, Orrel M, Woods B, Stephan A, Bieber A, **Meyer G**, Engedal K, Selbaek G, Handels R, Wimo A, Hopper L, Irving K, Marques M, Gonçalves-Pereira M, Portolani E, Zanetti O, Verhey F and the Actifcare Consortium. Access to timely formal dementia care in Europe: protocol of the Actifcare (Access to Timely Formal Care) study. *BMC Health Services Research* 2016; 16: 423

Janssen EP, de Vugt M, Köhler S, Wolfs C, Kerpershoek L, Handels RL, Orrell M, Woods B, Jelley H, Stephan A, Bieber A, **Meyer G**, Engedal K, Selbaek G, Wimo A, Irving K, Hopper L, Marques M, Gonçalves-Pereira M, Portolani E, Zanetti O, Verhey FR. Caregiver profiles in dementia related to quality of life, depression and perseverance time in the European Actifcare study: the importance of social health. *Aging Ment Health* 2016; 21: 49-57

Möhler R, Köpke S, **Meyer G**. Deutsche Version der Kriterien für eine hochwertige Berichterstattung von komplexen Interventionen in der Pflege und Gesundheitsversorgung: CReDECI 2-DE. *Pflegewissenschaft* 2016; 18: 481-485

Möhler R, Nürnberger C, Abraham J, Köpke S, **Meyer G**. Interventions for preventing and reducing the use of physical restraints of older people in general hospital settings. *Cochrane Database of Systematic Reviews* 2016, Issue 12. Art. No.: CD012476. DOI: 10.1002/14651858.CD012476

Pedersen MK, **Meyer G**, Uhrenfeldt L. Risk factors for acute care hospital readmission in older persons in Western countries: a systematic review. *JBIC Database System Rev Implement Rep* 2017; 15: 454-485

Saal S, Beutner K, Bogunski J, Obermüller K, Müller M, Grill E, **Meyer G**. Interventions for the prevention and treatment of disability due to acquired joint contractures in older people: a systematic review. *Age Ageing* 2017; 46: 373-382

Sniatecki S, **Meyer G**, Renom-Guiteras A, Dichter MN, Mayer H, Stephan A. Was sagt der Satz im Mini-Mental-Status-Test über das Befinden von Menschen mit Demenz aus? Ergebnisse einer Querschnittstudie *Zeitschrift für Gerontologie und Geriatrie. Z Gerontol Geriatr* 2017; 50: 45-51

Müller C, Lautenschläger S, **Meyer G**, Stephan A. Interventions to support people with dementia and their caregivers during the transition from home care to nursing home care: A systematic review. *Int J Nurs Stud* 2017; 71: 139-152

Bieber A, Stephan A, Verbeek H, Verhey F, Kerpershoek L, Wolfs C, de Vugt M, Woods RT, Rosvik J, Selbaek G, Sjölund BM, Wimo A, Hopper L, Irving K, Marques M, Gonçalves-Pereira M, Portolani E, Zanetti O, **Meyer G**. Access to community care for persons with dementia and their informal carers: A European comparison of structures and common pathways to formal care based on case vignettes. *Z Evid Fortbild Qual Gesundhwes* 2018; 51: 530-536

Sutcliffe C, Giebel C, Bleijlevens M, Lethin C, Stolt M, Saks K, Soto ME, **Meyer G**, Zabalegui A, Chester H, Challis D; RightTimePlaceCare Consortium. Caring for a person with dementia on the margins of long-term care: A Perspective on burden from 8 European countries. *J Am Med Dir Assoc.* 2017; 18: 967-973.e1

Grube M, Fuchs J, **Meyer G**, Lahmann N, Zank S, Gaertner B, Wetzstein M, Koschollek C, Scheidt-Nave C. Entwicklung eines Rahmenkonzepts für ein Public-Health-Monitoring der Bevölkerung ab 65 Jahren. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz* 2017; 60: 879-882

Janssen EP, de Vugt M, Köhler S, Wolfs C, Kerpershoek L, Handels RL, Orrell M, Woods B, Jelley H, Stephan A, Bieber A, **Meyer G**, Engedal K, Selbaek G, Wimo A, Irving K, Hopper L, Gonçalves-Pereira M, Portolani E, Zanetti O, Verhey FR. Caregiver profiles in dementia related to quality of life, depression and perseverance time in the European Actifcare study: the importance of social health. *Aging Ment Health* 2017; 21: 49-57

Broda A, Bieber A, **Meyer G**, Hopper L, Joyce R, Irving K, Zanetti O, Portolani E, Kerpershoek L, Verhey F, de Vugt M, Wolfs C, Eriksen S, Rosvik J, Marques MJ, Gonçalves-Pereira M, Sjölund BM, Woods B, Jelley H, Orrell M, Stephan A, on behalf of the ActifCare Consortium. Perspectives of policy and political decision makers on access to formal dementia care: expert interviews in eight European countries. *BMC Health Serv Res* 2017; 17: 518

Vollmar HC, Santos S, **Meyer G**, Wilm S. Wie gelangt Wissen in die Versorgung? Implementationsforschung und Wissenszirkulation. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz* 2017; 60: 1139-1146

Kerpershoek L, de Vugt M, Wolfs C, Woods B, Jelley H, Orrell M, Stephan A, Bieber A, **Meyer G**, Selbaek G, Handels R, Wimo A, Hopper L, Irving K, Marques M, Gonçalves-Pereira M, Portolani E, Zanetti O, Verhey F & the Actifcare Consortium. Needs and quality of life of people with middle-stage dementia and their family carers from the European Actifcare study. When informal care alone may not suffice. *Aging Ment Health* 2018; 22: 897-902

Renom-Guiteras A, Thürmann PA, Miralles R, Klaßen-Mielke R, Thiem U, Stephan A, Bleijlevens MHC, Jolley D, Leino-Kilpi H, Rahm Hallberg L, Saks K, Soto-Martin M, Zabalegui A, **Meyer G**. RightTimePlaceCare Consortium. Potentially inappropriate medication among people with dementia in eight European countries. *Age Ageing* 2018; 47: 68-74

Hirt J, Buhtz C, Mersdorf B, **Meyer G**. Repräsentanz von Pflegewissenschaftlerinnen und Pflegewissenschaftlern aus dem deutschsprachigen Raum in Zeitschriften mit hohem Impact Factor. *Pflege* 2018; 31: 1-9

Nguyen N, **Meyer G**, Renom Guiteras A, Stephan A. Umzug von Menschen mit Demenz in ein Pflegeheim: Eine qualitative Sekundäranalyse und Literaturübersicht zu Sichtweisen von pflegenden Angehörigen und professionellen Akteuren. *Pflege* 2018; 3:155-166

Saal S, **Meyer G**, Beutner K, Klingshirn H, Strobl R, Grill E, Mann E, Köpke S, Bleijlevens MHC, Bartoszek G, Stephan AJ, Hirt J, Müller M. Development of a complex intervention to improve participation of nursing home residents with joint contractures: a mixed method study. *BMC Geriatrics* 2018; 18: 61

Möhler R, Renom A, Renom H, **Meyer G**. Personally tailored activities for improving psychosocial outcomes for people with dementia in long-term care. Cochrane Database of Systematic Reviews 2018, Issue 2. Art. No.: CD009812

Stephan A, Bieber A, Hopper L, Joyce R, Irving K, Zanetti O, Portolani E, Kerpershoek L, Verhey F, de Vugt M, Wolfs C, Eriksen S, Rosvik J, Marques MJ, Gonçalves-Pereira M, Sjölund BM, Jelley H, Woods B, **Meyer G** and on behalf of the Actifcare Consortium. Barriers and facilitators to the access to and use of formal dementia care: findings of a focus group study with people with dementia, informal carers and health and social care professionals in eight European countries. BMC Geriatrics 2018; 18: 131

Dichter MN, Wolschon EM, Schwab CGG, **Meyer G**, Köpke S. Item distribution and inter-rater reliability of the German version of the quality of life in Alzheimer's disease scale (QoL-AD) proxy for people with dementia living in nursing homes. BMC Geriatrics 2018; 18: 145

Römhild J, Fleischer S, **Meyer G**, Stephan A, Zwakhalen S, Leino-Kilpi H, Zabalegui A, Saks K, Soto-Martin M, Sutcliffe C, Rahm Hallberg L, Berg A, RightTimePlaceCare Consortium. Inter-rater agreement of the Quality of Life-Alzheimer's Disease (QoL-AD) self-rating and proxy rating scale: secondary analysis of RightTimePlaceCare data. Health Qual Life Outcomes 2018; 16: 131

**Meyer G**, Möhler R, Köpke S. Reducing waste in evaluation studies on fall risk assessment tools for older people. J Clin Epidemiol 2018; 102: 139-143

Røsvik J, Michelet M, Engedal K, Bieber A, Broda A, Gonçalves-Pereira M, Hopper L, Irving K, Jelley H, Kerpershoek L, **Meyer G**, Marques MJ, Portolani E, Sjölung BM, Sköldunger A, Stephan A, Verhey F, de Vugt M, Woods B, Wolfs C, Zanetti O, Selbaekand G, Actifcare Consortium. Interventions to enhance access to and utilization of formal community care services for home dwelling persons with dementia and their informal carers. A scoping review. Aging Ment Health 2020; 24: 200-211

Bieber A, Nguyen N, **Meyer G**, Stephan A. Influences on the access to and use of formal community care by people with dementia and their informal caregivers: a scoping review. BMC Health Serv Res 2019; 19: 88

Marques MJ, Woods B, Hopper L, Jelley H, Irving K, Kerpershoek L, **Meyer G**, Bieber A, Stephan A, Sköldunger A, Sjölund BM, Selbaek G, Rosvik J, Zanetti O, Portolani E, de Vugt M, Verhey F, Gonçalves-Pereira M, Actifcare Consortium. Relationship quality and sense of coherence in dementia: results of a European cohort study. Int J Geriatr Psychiatry 2019; 34: 745-755

Fröhlich MR, **Meyer G**, Spirig R, Rettke H. Welche patientenbezogenen Parameter berücksichtigen Pflegenden bei der Schmerzeinschätzung bewusstseins- und kognitiv eingeschränkter Patienten auf der Intensivstation? Eine qualitative explorative Studie. Pflegewissenschaft 2019; 21: 40-46

Broda A, Wübker A, Bremer P, **Meyer G**, Renom Guiteras A, Sauerland D, Stephan A. Versorgungsplanung für Menschen mit Demenz am Übergang von der Häuslichkeit ins Pflegeheim: der „Balance-of-Care“-Ansatz im RightTimePlaceCare-Projekt in Deutschland. Z Gerontol Geriatr 2019; 52: 751-757

Nordhausen T, Abraham J, Kupfer R, Köpke S, **Meyer G**, Möhler R. Freiheitseinschränkung aus Sicht der Interessenvertretungen von Pflegeheimbewohnerinnen und -bewohnern – eine qualitative Studie. *Pflege* 2019; 32: 147-156

Richter C, Berg A, Langner H, **Meyer G**, Köpke S, Balzer K, Wolschon EM, Silies K, Sönnichsen A, Löscher S, Haastert B, Icks A, Wolf U, Fleischer S. Effect of person-centred care on antipsychotic drug use in nursing homes (EPCentCare): a cluster-randomised controlled trial. *Age Ageing* 2019; 48: 419-425

Hirt J, Buhtz C, **Meyer G**, Balzer K. Publikationen aus dem deutschsprachigen Raum in Zeitschriften mit hohem Impact Factor: Entwicklung und Validierung eines Suchfilters. *Pflege* 2019; 32: 97-106

Abraham J, Kupfer R, Behncke A, Berger-Höger B, Icks A, Haastert B, **Meyer G**, Köpke S, Möhler R. Implementation of a multicomponent intervention to prevent physical restraints in nursing homes (IMPRINT): A pragmatic cluster randomized controlled trial. *Int J Nurs Stud* 2019; 96: 27-34

Nguyen N, Thalhammer R, Beutner K, Saal S, Servaty R, Klingshirn H, Icks A, Freyberg K, Vomhof M, Mansmann U, Le L, Müller M, **Meyer G**. Effectiveness of a complex intervention to improve participation and activities in nursing home residents with joint contractures (JointConEval): study protocol of a multicentre cluster-randomised controlled trial [DRKS-ID: DRKS00015185]. *Trials* 2019; 20: 305

Saal S, Klingshirn H, Beutner K, Strobl R, Grill E, Müller M, **Meyer G**. Improved participation of older people with joint contractures living in nursing homes: feasibility of study procedures in a cluster-randomised pilot trial. *Trials* 2019; 20: 411

Andrich S, Ritschel M, **Meyer G**, Hoffmann F, Stephan A, Baltes M, Blessin J, Jobski K, Fassmer AM, Haastert B, Gontscharuk V, Arend W, Theunissen L, Colley D, Hinze R, Thelen S, Fuhrmann P, Sorg CGG, Windolf J, Rupprecht CJ, Icks A. Healthcare provision, functional ability and quality of life after proximal femoral fracture - 'ProFem': Study protocol of a population-based, prospective study based on individually linked survey and statutory health insurance data. *BMJ Open* 2019; 9: e028144

Fröhlich MR, **Meyer G**, Spirig R, Rettke H. Wann und wie berücksichtigen Intensivpflegende Schmerz im Behandlungsprozess von Patientinnen und Patienten auf der Intensivstation? Eine qualitative Studie. *Pflege* 2019; 32: 249-258

Nordhausen T, Langner H, Fleischer S, **Meyer G**, Berg A. Stärkung der psychosozialen Gesundheit von Bewohnerinnen und Bewohnern der stationären Langzeitpflege: Systematische Übersicht zu Interventionen der Prävention und Gesundheitsförderung. *Z Evid Fortbild Qual Gesundhwes* 2019; 147-148: 7-19

Kerpershoek L, de Vugt M, Wolfs C, Orrell M, Woods B, Jolley H, **Meyer G**, Bieber A, Stephan A, Selbaek G, Michelet M, Wimo A, Handels R, Irving K, Hopper L, Gonçalves-Pereira M, Conceição Balsinha C, Zanetti O, Portolani D, Verhey F; Actifcare Consortium. Is there equity in initial access to formal dementia care in Europe? The Andersen Model applied to the Actifcare cohort. *Int J Geriatr Psychiatry* 2020: 45-52

Grünzig M, Schiller C, Klatt T, **Meyer G**, Heinrich S. Herausforderungen bei Demenz in den eigenen vier Wänden. Die häusliche Situation eines Ehepaares. *Pflege* 2020; 33: 34-42

Perry-Duxbury M, van Exel J, Brouwer W, Sköldunger A, Gonçalves-Pereira M, Irving K, **Meyer G**, Selbæk G, Woods B, Zanetti O, Verhey F, Wimo A, Handels RLH, Actifcare Consortium. A validation study of the ICECAP-O in informal carers of people with dementia from eight European Countries. *Qual Life Res* 2020; 29: 237-251

Hirt J, van Meijeren LCJ, Saal S, Hafsteinsdóttir TB, Hofmeijer J, Kraft A, **Meyer G**, de Man-van Ginkel JM. Predictive accuracy of the Post-Stroke Depression Prediction Scale: A prospective binational observational study. *J Affect Disord* 2020; 265: 39-44

Langner H, Nordhausen T, Fleischer S, **Meyer G**, Berg A. Stärkung kognitiver Ressourcen von Bewohnerinnen und Bewohnern der stationären Langzeitpflege: Systematische Übersicht zu Interventionen der Prävention und Gesundheitsförderung. *Z Evid Fortbild Qual Gesundhwes* 2019; 149: 1-11

Jelley H, Kerpershoek L, Verhey F, Wolfs C, de Vugt M, Bieber A, Stephan A, **Meyer G**, Michelet M, Selbaek G, Sjölund BM, Sköldunger A, Hopper L, Irving K, Marques M, Conceição Balsinha M, Gonçalves-Pereira M, Portolani, DM, Zanetti O, Woods B, and the Actifcare Consortium. Carers' experiences of timely access to and use of dementia care services in eight European countries. *Ageing & Society* 2021; 41: 403-420

Clever K, Richter C, **Meyer G**. Current approaches to the integration of sex- and gender-specific medicine in teaching: a qualitative expert survey. *GMS J Med Educ* 2020; 37: Doc26

Mortsiefer A, Wilm S, Santos S, Löscher S, Wollny A, Drewelow E, Ritzke M, Thürmann P, Mann NK, **Meyer G**, Abraham J, Icks A, Montalbo J, Wiese B, Altiner A, COFRAIL study group. Family conferences and shared prioritisation to improve patient safety in the frail elderly (COFRAIL): study protocol of a cluster randomised intervention trial in primary care. *Trials* 2020; 21: 285

Schnakenberg R, Silies K, Berg A, Kirchner Ä, Langner H, Chuvayaran Y, Köberlein-Neu J, Haastert B, Wiese B, **Meyer G**, Köpke S, Hoffmann F. Study on advance care planning in care dependent community-dwelling older persons in Germany (STADPLAN): protocol of a cluster-randomised controlled trial. *BMC Geriatr* 2020; 20: 142

Grube MM, Scheidt-Nave C, Gaertner B, Lüdtke D, Bosnjak M, Heinrich S, Lahmann N, **Meyer G**, Rapp K, Riedel-Heller S, Schäufele M, Wolf-Ostermann K, Zank S, Fuchs J. Public-Health-Monitoring für die Altersgruppe 65+ in Deutschland - Auswahl und Definition von Indikatoren. *JoHM* 2019; 4: 93-109

Paulicke D, Buhtz C, **Meyer G**, Jahn P. Beratungsansätze zu assistiven Technologien in der Pflege von Menschen mit Demenz. Fokusgruppenstudie mit pflegenden Angehörigen. *Pflege* 2019; 32: 315-323

De Baetselier E, Van Rompaey B, Batalha LM, Bergqvist M, Czarkowska-Paczek B, De Santis A, Dijkstra NE, Fernandes MI, Filov I, Abrahamsen Grøndahl V, Heczko J, Helgesen AK, Isfort M, Jordan S, Karnjus I, Keeley S, Kolovos P, Langer G, Lillo-Crespo M, Logan V, Malara A, **Meyer G**, Olah A, Padysakova H, Prosen M, Pusztai D, Sino CG, Tziaferi S, Ziakova E, Dilles T. EUPRON: nurses' practice in interprofessional pharmaceutical care in Europe. A cross-sectional survey in 17 countries. *BMJ Open* 2020; 10: e036269



Wilfling D, Hylla J, Berg A, **Meyer G**, Köpke S, Halek M, Möhler R, Dichter MN. Characteristics of multicomponent, nonpharmacological interventions to reduce or avoid sleep disturbances in nursing home residents: a systematic review. *Int Psychogeriatr* 2020; 5: 1-29

Silies K, Schnakenberg R, Berg A, Kirchner Ä, Langner H, Köberlein-Neu J, **Meyer G**, Hoffmann F, Köpke S. Process evaluation of a complex intervention to promote advance care planning in community-dwelling older persons (the STADPLAN study) - study protocol. *Trials* 2020; 21: 653

Klingshirn H, Müller M, Beutner K, Hirt J, Strobl R, Grill E, **Meyer G**, Saal S. Implementation of a complex intervention to improve participation in older people with joint contractures living in nursing homes: a process evaluation of a cluster-randomised pilot trial. *BMC Geriatrics* 2020; 20: 270

Krones T, **Meyer G**, Monteverde S. Medicine is a social science: COVID-19 and the tragedy of residential care facilities in high-income countries. *BMJ Global Health* 2020; 5: e003172

Möhler R, Renom A, Renom H, **Meyer G**. Personally tailored activities for improving psychosocial outcomes for people with dementia in community settings. *Cochrane Database of Systematic Reviews* 2020, Issue 8. Art. No.: CD010515. DOI: 10.1002/14651858.CD010515.pub2

Afonso-Argilés FJ, **Meyer G**, Stephan A, Comas M, Wübker A, Leino-Kilpi H, Lethin C, Saks K, Soto-Martin M, Sutcliffe C, Verbeek H, Zabalegui A, Renom-Guiteras A and on behalf of the RightTimePlaceCare Consortium. Emergency department and hospital admission among people with dementia living at home or in nursing homes: results of the European RightTimePlaceCare project on their frequency, associated factors and cost. *BMC Geriatrics* 2020; 20: 453

Hirt J, Nordhausen T, Meichlinger J, Braun V, Zeller A, **Meyer G**. Educational interventions to improve literature searching skills in the health sciences: a scoping review. *J Med Libr Associ* 2020; 108: 534-546

Führer A, Frese T, Karch A, Mau W, **Meyer G**, Richter M, Schildmann J, Steckelberg A, Wagner K, Mikolajczyk R. COVID-19: Wissensstand, Risikowahrnehmung und Umgang mit der Pandemie. *Z Evid Fortbild Qual Gesundhwes* 2020; 153-154: 32-38

Gomez-Rossi J, Hertrampf K, Abraham J, Gaßmann G, **Meyer G**, Schlattmann P, Göstemeyer G, Schwendicke F. Interventions to improve oral health of older people: A scoping review. *J Dent* 2020 Oct; 101: 103451. doi: 10.1016/j.jdent.2020.103451. Epub 2020 Aug 15

Geyer J, Böhm F, Müller J, Friedrichs J, Klatt T, Schiller C, Kißlinger V, **Meyer G**, Heinrich S. Die Lebenssituation von Menschen mit Demenz und pflegenden Angehörigen während der Coronavirus-Pandemie Eine qualitative Studie. *Pflege* 2020; 33: 189-197

Fröhlich MR, **Meyer G**, Spirig R, Bachmann LM. Comparison of the Zurich Observation Pain Assessment with the Behavioural Pain Scale and the Critical Care Pain Observation Tool in nonverbal patients in the intensive care unit: A prospective observational study. *Intensive Crit Care Nurs* 2020; 60: 102874

Aldin A, Clever K, Skoetz N, **Meyer G**. Die Variable „Geschlecht“ im Forschungsprozess: Anforderungen in den Antragsrichtlinien von Förderinstitutionen im Gesundheitswesen. *Z Evid Fortbild Qual Gesundhwes* 2020; 158-159: 10-15

Hertrampf K, Schlattmann P, **Meyer G**, Gassmann G, Abraham J, Hammen V, Schwendicke F. Oral health improvement for nursing home residents through delegated remotivation and reinstruction (MundZaRR Study): study protocol of a cluster-randomised controlled trial. *BMJ Open* 2020; 10: e035999

Røsvik J, Michelet M, Engedal K, Bergh S, Bieber A, Gonçalves-Pereira M, Portolani DM, Hopper L, Irving K, Jelley H, Kerpershoek L, **Meyer G**, Marques MJ, Sjølund BM, Sköldunger A, Stephan A, Verhey F, de Vugt M, Woods B, Wolfs C, Zanetti O, Selbaek G. Development of best practice recommendations to enhance access to and use of formal community care services for people with dementia in Europe: a Delphi process conducted by the Actifcare project. *Aging Ment Health* 2020 Oct 8: 1-12. doi: 10.1080/13607863.2020.1822286. Online ahead of print

Hirt J, Ballhausen N, Hering A, Kliegel M, Beer T, **Meyer G**. Social Robot Interventions for People with Dementia: A Systematic Review on Effects and Quality of Reporting. *J Alzheimers Dis* 2021; 79: 773-792

Dichter MN, Berg A, Hylla J, Eggers D, Wilfling D, Möhler R, Haastert B, **Meyer G**, Halek M, Köpke S. Evaluation of a multi-component, non-pharmacological intervention to prevent and reduce sleep disturbances in people with dementia living in nursing homes (MoNoPol-sleep): study protocol for a cluster-randomized exploratory trial. *BMC Geriatr* 2021; 21: 40

Hecht L, **Meyer G**, Steckelberg A. A survey on critical health competences among diabetes educators using the Critical Health Competence Test (CHC Test). *BMC Med Educ* 2021; 21: 96

Abraham J, Bake M, Berger-Höger B, Köpke S, Kupfer R, **Meyer G**, Möhler R. Process evaluation of a multicomponent intervention to prevent physical restraints in nursing homes (IMPRINT): A mixed methods study. *J Adv Nurs* 2021; 77: 1465-1477

Wilfling D, Hylla J, Berg A, **Meyer G**, Köpke S, Halek M, Möhler R, Dichter MN. Int Characteristics of multicomponent, nonpharmacological interventions to reduce or avoid sleep disturbances in nursing home residents: a systematic review. *Psychogeriatr* 2021; 33: 245-273

Blume KS, Dietermann K, Kirchner-Heklau U, Winter V, Fleischer S, Kreidl LM, **Meyer G**, Schreyögg J. Staffing levels and nursing-sensitive patient outcomes: Umbrella review and qualitative study. *Health Serv Res* 2021 Mar 15. doi: 10.1111/1475-6773.13647. Online ahead of print

Gärtner B, Fuchs J, Möhler R, **Meyer G**, Scheidt-Nave C. Zur Situation älterer Menschen in der Anfangsphase der COVID-19-Pandemie: Ein Scoping Review. *JoHM* 2021; 6 (S4): 1-39

Hirt J, **Meyer G**, Beer T. Nutzungsoptionen von technischen Assistenzsystemen für Personen mit Demenz in der Schweiz: eine qualitative Interviewstudie mit Expertinnen und Experten. *Z Evid Fortbild Qual Gesundhwes* 2021; 166: 69-78

Heinrich S, Schiller C, Grünzig M, Klatt T, Geyer J, **Meyer G**. [Dementia Care Nurse - Feasibility study of outreach assistance for people with dementia and their family carers]. *Pflege* 2021; 34: 275-284

Schiller C, Grünzig M, Heinrich S, **Meyer G**, Bieber A. Case management for people with dementia living at home and their informal caregivers. A Scoping Review. *Health Soc Care Community* 2022; 30: 1233-1253

Hirt J, Langer G, Wilde F, Bauernschmidt D, **Meyer G**, Bieber A. Technology-based counselling in dementia (TeCoDem): study protocol of a mixed-methods systematic review with qualitative comparative analysis and meta-analysis. *BMJ Open* 2021; 11 (12): e054157

Abraham J, Neef R, **Meyer G**, Möhler R. Entwicklung und Machbarkeit einer Intervention zur Vermeidung freiheitsentziehender Maßnahmen im Krankenhaus: eine Mixed Methods-Studie. *Pflege* 2022; 35: 155-163

Schildmann J, Nadolny S, Führer A, Frese T, Mau W, **Meyer G**, Richter M, Steckelberg A, Mikolajczyk R. Gründe und Einflussfaktoren für die Bereitschaft zur Dokumentation von Präferenzen bezüglich Organspende. Ergebnisse einer Online-Umfrage. *Psychother Psychosom Med Psychol* 2022; Feb 25. doi: 10.1055/a-1718-3896. *Psychother Psychosom Med Psychol* 2022; 72(8): 354-361

Kirchner-Heklau U, **Meyer G**, Fleischer S. Was Patient\_innen an Pflegequalität noch wichtig ist. Inhaltsanalyse einer offenen Frage in einem Online-Fragebogen. *Pflege* 2022; 35: 207-214

Silies K, Huckle T, Schnakenberg R, Kirchner Ä, Berg A, Köberlein-Neu J, **Meyer G**, Hoffmann F, Köpke S. Contextual factors influencing advance care planning in home care: process evaluation of the cluster-randomised controlled trial STADPLAN. *BMC Geriatrics* 2022; 22: 345

Abraham J, Hirt J, Richter C, Köpke S, **Meyer G**, Möhler R. Interventions for preventing and reducing the use of physical restraints of older people in general hospital settings. *Cochrane Database of Systematic Reviews* 2022, Issue 8. Art. No.: CD012476

Nordhausen T, Lampe K, Vordermark D, Holzner B, Al-Ali HK, **Meyer G**, Schmidt H. An implementation study of electronic assessment of patient-reported outcomes in inpatient radiation oncology. *J Patient Rep Outcomes* 2022; 6: 77

Kirchner Ä, Langner H, **Meyer G**, Schnakenberg R, Silies K, Hoffmann F, Köpke S, Köberlein-Neu J, Berg A. Beratung zu Advance Care Planning in der ambulanten Pflege. Interventionsentwicklung mit dem Behaviour Change Wheel. *Pflege* 2022; Jul 13. doi: 10.1024/1012-5302/a000897

Stemmer R, Bassi E, Ezra S, Harvey C, Jojo N, **Meyer G**, Özsaban A, Paterson C, Shifaza F, Turner MB, Bail K. A systematic review: Unfinished nursing care and the impact on the nurse outcomes of job satisfaction, burnout, intention-to-leave and turnover. *J Adv Nurs* 2022; 78: 2290-2303

Nielsen S, Langensiepen S, Madi M, Elissen M, Stephan A, **Meyer G**. Implementing ethical aspects in the development of a robotic system for nursing care: a qualitative approach. *BMC Nurs* 2022; 21 (2): 180

Richter C, Fleischer S, Langner H, **Meyer G**, Balzer K, Köpke S, Sönnichsen A, Löscher S, Berg A. Factors influencing the implementation of person-centred care in nursing homes by practice development champions: a qualitative process evaluation of a cluster-randomised controlled trial (EPCentCare) using Normalization Process Theory. *BMC Nurs* 2022; 21: 182

Huckle T, Silies K, Kirchner Ä, Berg A, **Meyer G**, Schnakenberg R, Hoffmann F, Köberlein-Neu J, Köpke S. Die Sichtweise von Pflegefachpersonen auf ihre mögliche Rolle bei Advance Care Planning in der ambulanten Pflege. *Pflege* 2022 Aug 4. doi: 10.1024/1012-5302/a000903

Suikkala A, Koskinen S, Brasaité-Abromé I, Fuster-Linares P, Lehwaldt D, Leino-Kilpi H, **Meyer G**, Sveinsdóttir H, Katajisto J on behalf of the ProCompNurse Consortium. Psychometric testing of the facilitative student-patient relationship scale within six EUROPEAN countries. *Nursing Open* 2022; 00:1-10

Wangler S, Streffing J, Simon A, **Meyer G**, Ayerle GM. Measuring job satisfaction of midwives: A scoping review. *PLoS One* 2022; 17: e0275327

Schmitt N, Striebich S, **Meyer G**, Berg A, Ayerle GM. The partner's experiences of childbirth in countries with a highly developed clinical setting: a scoping review. *BMC Pregnancy Childbirth* 2022; 22: 742

Götze K, Bausewein C, Feddersen B, Fuchs A, Hot A, Hummers E, Icks A, Kirchner Ä, Kleinert E, Klosterhalfen S, Kolbe H, Laag S, Langner H, Lezius S, **Meyer G**, Montalbo J, Nauck F, Reisinger C, Rieder N, Schildmann J, Schunk M, Stanze H, Vogel C, Wegscheider K, Zapf A, Marckmann G, In der Schmitt J; BEVOR study group. Effectiveness of a complex regional advance care planning intervention to improve care consistency with care preferences: study protocol for a multi-center, cluster-randomized controlled trial focusing on nursing home residents (BEVOR trial). *Trials* 2022; 23:770

Baltes M, Herber OR, **Meyer G**, Stephan A. Fear of falling from the perspective of affected persons - A systematic review and qualitative meta-summary using Sandelowski and Barroso's method. *Int J Older People Nurs* 2022; 00:e12520

Buhtz C, Fleischer S, Heinrich S, Bork A, **Meyer G**, Mikolajczyk R, Lückmann S. Inanspruchnahme der bodengebundenen Notfallrettung - Sekundärdatenanalyse der Versichertenkohorte AOK Sachsen-Anhalt. *Gesundheitswesen* 2023; 85 (10): 904-910

Langensiepen S, Nielsen S, Madi M, Siebert M, Körner D, Elissen M, **Meyer G**, Stephan A. Nutzerorientierte Bedarfsanalyse zum potenziellen Einsatz von Assistenzrobotern in der direkten Pflege. *Pflege* 2022 Dec 5. doi: 10.1024/1012-5302/a000925. Online ahead of print

Gottschalk S, **Meyer G**, Haastert B, Abraham J. Prevention of physical restraints in the acute care setting (PROTECT): study protocol for a cluster-randomised controlled pilot study. *BMJ Open* 2023; 13: e066291

Wilfling D, Calo S, Dichter MN, **Meyer G**, Möhler R, Köpke S. Non-pharmacological interventions for sleep disturbances in people with dementia. *Cochrane Database of Systematic Reviews* 2023, Issue 1. Art. No.: CD011881. DOI: 10.1002/14651858.CD011881.pub2

**Meyer G**, Köpke S. Gesundheitsförderung und Prävention in der stationären Langzeitpflege im Kontext des Präventionsgesetzes. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz* 2023; 66 (5): 562-568

Bauernschmidt D, Hirt J, Langer G, **Meyer G**, Unverzagt S, Wilde F, Wittmann J, Bieber A. Technology-Based Counselling for People with Dementia and Their Informal Carers: A Systematic Review and Meta-Analysis. *J Alzheimers Dis* 2023; 93 (3): 891-906

Wilfling D, Berg A, Dörner J, Bartmann N, Klatt T, **Meyer G**, Halek M, Möhler R, Köpke S, Dichter MN. Attitudes and knowledge of nurses working at night and sleep promotion in nursing home residents: multicenter cross-sectional survey. *BMC Geriatr* 2023; 23 (1): 206

Mortsiefer A, Löscher S, Pashutina Y, Santos S, Altiner A, Drewelow E, Ritzke M, Wollny A, Thürmann P, Bencheva V, Gogolin M, **Meyer G**, Abraham J, Fleischer S, Icks A, Montalbo J, Wiese B, Wilm S, Feldmeier G. Family Conferences to Facilitate Deprescribing in Older Outpatients With Frailty and With Polypharmacy: The COFRAIL Cluster Randomized Trial. *JAMA Netw Open* 2023; 6 (3): e234723

Hoffmann F, Schnakenberg R, Silies K, Berg A, Kirchner Ä, Jaschke J, Haastert B, Wiese B, Köberlein-Neu J, **Meyer G**, Köpke S. Effects of advance care planning in care dependent community-dwelling older persons (STADPLAN): A cluster-randomised controlled trial. *Palliat Med*. 2023 *Palliat Med* 2023; 37 (8): 1193-1201

Wangler S, Simon A, **Meyer G**, Ayerle GM. Influence of the birthing room design on midwives' job satisfaction - A cross-sectional online survey embedded in the 'Be-Up' study. *Sex Reprod Healthc* 2023 Jun 2; 37: 100867. doi: 10.1016/j.srhc.2023.100867. Online ahead of print

Möhler R, Calo S, Renom A, Renom H, **Meyer G**. Personally tailored activities for improving psychosocial outcomes for people with dementia in long-term care. *Cochrane Database Syst Rev* 2023 Mar 13; 3 (3): CD009812

Möhler R, Richter T, Köpke S, **Meyer G**. Interventions for preventing and reducing the use of physical restraints for older people in all long-term care settings. *Cochrane Database Syst Rev* 2023 Jul 28; 7 (7): CD007546

Aubertin P, Frese T, Kasper J, Mau W, **Meyer G**, Mikolajczyk R, Richter M, Schildmann J, Steckelberg A. Efficacy of Three Numerical Presentation Formats on Lay People's Comprehension and Risk Perception of Fact Boxes-A Randomized Controlled Pilot Study. *Int J Environ Res Public Health* 2023; 20 (3): 2165

Golla A, Saal S, **Meyer G**, Frese T, Mikolajczyk R, Richter M, Schildmann J, Steckelberg A, Mau W. Verständnis und Bedürfnis medizinischer Rehabilitation in der Bevölkerung – Ergebnisse einer Online-Befragung. *Rehabilitation (Stuttg)* 2023; 62 (4): 197-206

Markert J, Niemann J, Starke D, Frese T, **Meyer G**, Mikolajczyk R, Schildmann J, Steckelberg A, Knöchelmann A. Psychische Vorerkrankungen und Depressivität in der 2. Welle der SARS-CoV-2-Pandemie in Deutschland – Die Rolle pandemieassoziiierter Stressoren. *Psychother Psychosom Med Psychol* 2023 Jul 27, doi: 10.1055/a-2105-3302

Koskinen S, Brugnolli A, Fuster-Linares P, Hourican S, Istomina N, Leino-Kilpi H, Löyttyniemi E, Nemcová J, **Meyer G**, De Oliveira CS, Palese A, Rua M, Salminen L, Sveinsdóttir H, Visiers-Jiménez L, Zeleníková R, Kajander-Unkuri S; ProCompNurse Consortium and the COMPEUnurse Consortium. A successful nursing education promotes newly graduated nurses' job satisfaction one year after graduation: a cross-sectional multi-country study. *BMC Nurs* 2023; 22: 269

Wangler S, Simon A, **Meyer G**, Ayerle GM. Influence of the birthing room design on midwives' job satisfaction - A cross-sectional online survey embedded in the 'Be-Up' study. *Sex Reprod Healthc* 2023; 37: 100867

Beutner K, Medenwald D, **Meyer G**. Sektorenübergreifende Versorgungsverläufe von Patient\*innen mit kolorektalem Karzinom in Sachsen-Anhalt. *Gesundheitswesen* 2023 Aug 10. doi: 10.1055/a-2106-9644. Online ahead of print

Lühnen J, Richter T, Calo S, **Meyer G**, Köpke S, Möhler R. Psychosocial interventions for reducing antipsychotic medication in care home residents. *Cochrane Database Syst Rev* 2023; 8 (8): CD008634

Lühnen J, Frese T, Mau W, **Meyer G**, Mikolajczyk R, Richter M, Schildmann J, Braunisch MC, Fichtner F, Holzmann-Littig C, Kranke P, Popp M, Schaaf C, Schmaderer C, Seeber C, Werner A, Wijnen-Meijer M, Meerpohl JJ, Steckelberg A; AP6 CEOsys. Public information needs and preferences on COVID-19: a cross-sectional study. *BMC Public Health* 2023 Feb 27; 23 (1): 394

Makhmutov R, **Meyer G**, Ellen ME, Fleischer S. Avoidable Care Transitions: A Consensus-Based Definition Using a Delphi Technique. *Innov Aging* 2023; 7 (8): igad106

Denninger NE, Brefka S, Skudlik S, Leinert C, Mross T, **Meyer G**, Sulmann D, Dallmeier D, Denking M, Müller M. Development of a complex intervention to prevent delirium in older hospitalized patients by optimizing discharge and transfer processes and involving caregivers: A multi-method study. *Int J Nurs Stud* 2024; 150: 104645

Nguyen N, Thalhammer R, **Meyer G**, Le L, Mansmann U, Vomhof M, Skudlik S, Beutner K, Müller M. Effectiveness of an individually tailored complex intervention to improve activities and participation in nursing home residents with joint contractures (JointConEval): a multicentre pragmatic cluster-randomised controlled trial. *BMJ Open* 2023; 13 (10): e073363

Bühler F, Leinen A, Schneider-Schelte H, **Meyer G**, Dichter MN, Köpke S, Wilm S, Bieber A. Exploring stakeholders' perspectives on the adaptation of the Living Lab approach to dementia care: A qualitative study. *Geriatr Nurs* 2023; 54: 184-191

Dichter MN, Dörner J, Wilfling D, Berg A, Klatt T, Möhler R, Haastert B, **Meyer G**, Halek M, Köpke S. Intervention for sleep problems in nursing home residents with dementia: a cluster-randomized study. *Int Psychogeriatr* 2024 Jan 8:1-14. doi: 10.1017/S1041610223004489

Wilfling D, Möhler R, Berg A, Dörner J, Bartmann N, Klatt T, **Meyer G**, Halek M, Köpke S, Dichter MN. [Item distribution, internal consistency and structural validity of the German language person-centred climate questionnaire - staff version \(PCQ-G-S\): a cross-sectional study](#). *BMC Geriatr* 2024; 24 (1): 57

Bauernschmidt D, Wittmann J, Hirt J, **Meyer G**, Bieber A. The Implementation Success of Technology-Based Counseling in Dementia Care: Scoping Review. *JMIR Aging* 2024; 7: e51544

Blume KS, Kirchner-Heklau U, Winter V, **Meyer G**, Fleischer S. Measuring patients' experience of nursing quality in acute hospitals: review of existing scales and development and psychometric validation of a new scale. *BMJ Open* 2024; 14: e072838

Flügge K, Kirchner C, Seeger Y, **Meyer G**. Einstellungen von Pflegenden zum assistierten Suizid in der stationären Langzeitpflege: Eine qualitative Interview-Studie. *Z Palliativmedizin* 2024; 25:85-93

Haase M, Bosse M, Sackmann S, **Meyer G**. IT Skills of Young and Older People: A Qualitative Study, *International Journal of Human-Computer Interaction* 2024 DOI: 10.1080/10447318.2024.2319916

Fleischer S, Heinrich S, **Meyer G**, Mikolajczyk R, Lückmann SL. Sex differences in cardiologic medication provision for adults with coronary heart disease: an analysis of health claims data from 2018 to 2020 in Saxony-Anhalt, Germany. *BMC Health Services Research* 2024; 24:288

Madi M, Nielsen S, Schweitzer M, Siebert M, Körner D, Langensiepen S, Stephan A, **Meyer G**. Akzeptanz eines Robotersystems für die Pflege: eine Querschnittsbefragung mit professionellen Pflegekräften, Pflegebedürftigen und Angehörigen. *BMC Nurs* 2024; 23:179